



District Hospital Satara
(Government of Maharashtra)

Office Telephone nos.

(02162)
295173
295176
295944

E-mail: aocssatara@gmail.com
csstoresatara1@gmail.com

Health Service

O.N. DHS/MS/quotation for NABL testing/ 28165 /202
Date:- 30/12/2024

QUOTATION NOTICE - YEAR 2024-25

Civil Surgeon, Satara is inviting quotation from NABL approved laboratories for Drugs/consumables testing as per Dosage form. Interested and qualified supplier go through all annexures and fill up quotation.

1	Quotation call by (Designation of Purchasing Authority)	Civil Surgeon, Satara
2	Address of Purchasing Authority	Office of Civil Surgeon Satara Dept Name- District medical store, district hospital Satara Tal-Satara, Dist-Satara Pin code- 415001
3	Telephone number	02162- 295944/295176/295173
4	E mail address	csstoresatara1@gmail.com
5	Working Hours	9 to 5.30 Sunday & Public Holiday Closed
6	Quotation Date	Date- 31/12/2024
7	Name of work	Drugs/consumables Testing from NABL Approved Laboratory
8	Description of Quotation Item	See Annex-3 for details of Items
9	Last date, Time & place of Quotation submission	07/01/2025 before 1:00 PM - District medical store, Satara
10	Quotation Annexures	Annexure 1 to 4
11	Date, Time & place of Quotation opening Procedure	07/01/2025 at 4 p.m. Office of Civil Surgeon Satara
12	Validity of date, Time & place of Quotation Rate	One year from Date of Acceptance
13	Final Authority of date, Time & place of Quotation Acceptance or Rejection	Civil Surgeon, Satara

ANNEX-1

General instructions for Quotation Submission

- 1) No any relaxation for Supplier Qualification Criteria.
- 2) Submission of Quotation before last date and attendance in time for opening of Quotation is the responsibility of Supplier. If supplier fails to attend, procedure will be completed by Authority.
- 3) Procedure for fill up Quotation
 - Submission of Envelope is required in prescribed manner (annexure 3). Use one Envelope for one Quotation. Do not use Item wise envelope
 - Fill up all Items rate in Quotation format
 - Rate format to be prepared on business letter pad only by computer typing.
 - Rate format duly signed by service provider with his/her name, business rubber stamp & rubber seal.
 - Attach required documents with self-attested & stamp.
 - Make one set of above quotation document & put in one envelope.
 - Write quotation no.(out no.) & Date on envelope.
 - Do not write rate in handwriting or over typing or don't use of whitener
 - Any conditional quotation by service provider will be rejected without any notice or message.
- 4) All documents should be self-attested with rubber stamp
- 5) Annexure Details
 - Annex- 1 -General Instructions for quotation submission procedure
 - Annex- 2 -Qualification Criteria, General Terms & conditions
 - Annex- 3 -Quotation of Drugs Laboratory Testing
 - Annex- 4 -Supplier Declaration
- 6) Disqualification of quotation
 - (a) Failure of required Technical qualification
 - (b) Late receipt of quotation envelope
 - (c) Non filling of all items rate in quotation
 - (d) Non submission of required documents & document without self-attested.

ANNEX- 2

Qualification Criteria, General Terms & conditions

- 7) NABL Laboratory should be approved from NATIONAL ACCREDITATION BOARD FOR TESTING & CALIBRATION LABORATORIES, GURUGRAM HARIYANA for Testing of Human use Drugs Formulations as per ISO/ IEC 17025 or Equivalent
- 8) NABL Approved Laboratory should have accreditation up to March 2026 or after.
- 9) NABL Approved Laboratory should have experience more than three years for Testing of Human use Drug Formulations.
- 10) NABL Approved Laboratory should have own PAN & GST Number.
- 11) Rate should be quoted inclusive of all taxes with Transportation charges.
- 12) NABL Approved Laboratory should give detail instructions for submission of samples for Testing.
- 13) Report of Testing should be sent by e mail csstoresatara1@gmail.com & also by courier or speed post.
- 14) Payment – After receipt of Testing Report payment will be made by this office.
- 15) Penalty- Failure of submission of Report in stipulated period, penalty will be charged @ 0.0714% per day. The amount will be deducted from bill.
- 16) Monthly bill of Drugs/consumables testing report should submit on the Name of Civil Surgeon Satara.
- 17) Testing report's hard copy is required with authorized signatory & rubber seal/ stamp.
- 18) List of Documents with Annex-4 – All Self attested with sign & stamp.
 - (6) NABL Approved Certificate showing Validity of certificate
 - (7) Any Experience certificate or related documents
 - (8) PAN Card & GST Certificate
 - (9) Business Bank Account Information with Bank cancelled cheque
 - (10) Declaration by Laboratory Owner or Authorized person In Annex-4.
- 19) Civil Surgeon Satara reserves all rights to accept or reject Quotation.

Civil Surgeon Satara

18 /

ANNEX- 3
on NABL Approved Lab Letter head
Rate Format for Drugs Testing by NABL Approved Laboratory

Ref. No

Date-

To,

The Civil Surgeon Satara

Name of Dept- District Warehouse Satara

A/p. Satara Tal-Satara Dist- Satara Pin- 415001

Maharashtra State INDIA

Tel.No. 295944/ 295176/ 295173/ e mail id- csstoresatara1@gmail.com

Sub- Submission quotation of Human use Drugs/consumables testing by NABL Approved Laboratory
 Ref- Your office Notice published on date-

Respected Sir,

With ref. to above subject, We are NABL approved Laboratory for Drugs/consumables Testing in our in house/premise. We are submitting rates for testing of following drugs/consumables formulations as per your office requirement.

s.n.	name of item	required quantity for analysis	rate for testing per batch/ per sample	Required period for testing & final reporting
1	Syp. Dihydrogen Sodium Citrate contains Dihydrogen Sodium Citrate 1.37gm			
2	Inj. Lignocaine or Lidocaine HCL 0.02 (2%) 30 ml			
3	Oint Lignocaine Or Lidocaine HCL Ointment / Jelly 30 gm			
4	Lignocaine OR Lidocaine HCL 20mg + Adrenaline OR Epinephrine 5mcg, per ml, 30ml Inj			
5	Inj Bupivacaine Hydrochloride 50mg/10ml			
6	Inj Bupivacaine HCl(Anhydrous) 7.5mg + Dextrose 82.5mg (Anhydrous)per ML (4ml Ampoule)			
7	Inj. Ketamine HCL 50 mg/ml			
8	Injection Propofol 1% MCT/LCT in Fat emulsion with Oleic acid i.e. 10 mg/ml -20 ml Vial			
9	Isoflurane Amber Colour Bottle 100ml			
10	Inj. Glycopyrrolate 0.2mg/ml			
11	Sevoflurane amber-colored bottles.250 ml Liquid/ solution			
12	Inj.Mephentermine sulphate 30mg /ml			
13	Inj. Epinephrine hydrochloride or hydrogen tartarate in 1 mg / 1 ml ampoule/ Inj. Adrenaline Bitartarate 1 : 1000 w/v 1 ml.			
14	Tab. Cetrizine Di Hydrochloride 10 mg Aluminium Blister - Strip of 10 Tablets			
15	Cetrizine Syrup 5 mg/5 ml			
16	Each Ampoule Contains Pheniramine Maleate IP 22.75mg Water for Injection IP Qs2ml Ampoule			
17	Each tablet contains, Levocetizine Dihydrochloride IP 10 mg			

18	Each Tablet contains; Motelukast Sodium 5 mg			
19	IFA Syrup with Auto Dispenser 50 ml Bottle			
20	Inj. Vitamin B1 B6 B12			
21	Folic acid Tab 5mg			
22	Ferrous Sulphate 333-335 mg(Equivalent to 100 mg of elemental iron) + Folic Acid IP 0.5 mg			
23	Inj. Cyanocobalamin (Vitamins B 12) 1000mcg/mL; soln for IM or SC inj; contains Benzyl alcohol - 10 ml			
24	Liquid Amino Acids and Vitamins Liquid Each 15ml contains; DL-Methionine BP 100mg, Choline Dihydrogen Citrate NF XII 100mg, L-Leucine USP 19mg, L-Isoleucine USP 10mg L-Valine USP 11mg, Pyridoxine Hydrochloride IP 1.5mg Nicotinamide IP 22.5mg, Biotin USP 0.1mg Folic Acid IP 0.5mg, Cyanocobalamin IP 3.0mcg, Inositol BP 50mg			
25	Tab. Isosorbide dinitrate 5 mg Aluminium Blister - Strip of 10 Tablets			
26	Inj. Nitroglycerine 5 ml Each ml to contain : Nitroglycerine Trinitrate 5 mg			
27	Inj. Aminodarone 150mg/3ml ampoules.i.e. 50 mg per ml			
28	Inj. Atropine sulphate 0.6 mg/ml - 1 ml amp			
29	Sy. Cotrimaxazol - Each 5 ml contains Trimethoprim 40 mg + Sulphamethoxazole 200 mg - Bottle of 50 ml			
30	Tab. Amoxicillin D T 125 mg			
31	Cap. Amoxicillin Trihydrate 250 mg			
32	Cap. Amoxicillin Trihydrate 500 mg			
33	Sy. Amoxicillin Trihydrate 125 mg / 5 ml- Bottle of 60 ml			
34	Sy. Amoxicillin 200 mg + Clavulanic acid 28.5 mg / 5 ml dry Syrup - Bottle of 60 ml			
35	Tab. Amoxicillin I P 500 mg + Clavulanic acid I P 125 mg - Strip of 6 Tablets			
36	Cefixime Tab 200 mg			
37	Inj. Ceftriaxone 1000 mg			
38	Inj. Cefotaxime 1gm Inj. Cefotaxime Sodium sterile powder 1 gm /Vial			
39	Inj. Meropenam 1 gm - I.V. Vial will deliver 1 g of meropenem and 90.2 mg of sodium as sodium carbonate (3.92 mEq)			
40	Cefpodoxime proxetil Tab.100mg			
41	Capsule / Tablet Doxycycline 100 mg			
42	Inj. Gentamycin 40 mg/ml - 2 ml amp/Vial			
43	Inj. Amikacine sulphate 100 mg - 2 ml			
44	Inj. Amikacine sulphate 500 mg - 2 ml			
45	Inj. Vancomycin 1 gm			
46	Tab. Ciprofloxacin 250 mg			
47	Tab. Ciprofloxacin 500 mg			
48	I. V. Ciprofloxacin : Each 100 ml contains : Ciprofloxacin HCL eq. to Ciprofloxacin 200 mg , Water for Injection O.S. AFS/BFS/FFS Technology			
49	Tab. Azithromycin 500 mg Aluminium Blister - Strip of 3 Tab			
50	Sy. Azithromycin 200 mg per 5 ml			
51	Tab. Metronidazole 400 mg			
52	Metronidazole Suspension 200mg/ 5ml			
53	I.V. Metronidazole - 5mg / ml I. V. Metronidazole 500 mg in 100 ml AFS/BFS/FFS Technology			
54	Inj. Benzathine penicillin 12 lac IU / Vial			
55	Tab. Norfloxacin 400 mg Aluminium Blister - Strip of 10 Tab			
56	Tab. Tinidazole 300 mg			
57	Each Vial Contains Colistimethate Sodium IP 1000000 IU (Powder for Injection)			
58	Inj. Heparin sodium 5000 I U/ml - 5 ml Vial			
59	Low molecular weight heparin (Enoxaparin) 0.4 IU PFS			
60	Tab. Metformin 500 mg			

61	Tab Glimepiride 2mg			
62	O R S WHO Formula – O R S Powder 20.5 gm as per WHO formula contains g/l : Sodium Chloride IP 2.60 gm, Potassium Chloride IP 1.50 gm, Sodium citrate IP 2.90 gm , Anhydrous Dextrose IP 13.50 gm The total osmolar concentration of the solution in terms of mosmol per litre is 245			
63	Zinc sulphate or gluconate Syrup : Each 5 ml of Syrup contains Zinc Sulphate or gluconate equivalent to Elemental Zinc 20mg.			
64	Tab Zinc Sulphate 20 mg Each dispersible Tablet contains Zinc Sulphate (as Monohydrate) 54.88mg equivalent to elemental Zinc 20mg.			
65	Inj. Pralidoxime chloride 1g/ 20 ml			
66	Tab. Ondansetron 4 mg			
67	Syrup Ondansetron 2mg/5ml, Bottle of 30ml			
68	Inj. Ondansetron hydrochloride Premixed 2 mg/ml - 2 ml Ampoule Each 1 mL of aqueous solution in the 2-mL single-dose Vial contains 2 mg of ondansetron as the hydrochloride dihydrate; 9.0 mg of sodium chloride, and 0.5 mg of citric acid monohydrate, and 0.25 mg of sodium citrate dihydrate, as buffers in Water for Injection,			
69	Inj. Promethazine Hydrochloride 50 mg/ml IM/IV Each mL contains either 50 mg promethazine hydrochloride with 0.2 mg edetate disodium, 0.08 mg calcium chloride, 0.50 mg sodium metabisulfite, and 10 mg phenol in water for injection. - 2 ml Ampoules I. M./I. V			
70	Metoclopramide Hcl 5 mg/ml			
71	Inj. Levetiracetam 500mg contains:- Levetiracetam 500mg Sodium Chloride 45mg, pH – 5.5 with glacial acetic acid, 8.2 mg sodium acetate trihydrate with Water for Injection			
72	Inj. Lorazepam 2mg			
73	Tab. Phenobarbitone Sodium 30 mg			
74	Tab. Phenobarbitone Sodium 60 mg			
75	Inj. Phenobarbitone Sodium 200 mg/ml IM/SC - 1 ml Ampoule			
76	Tab. Phenytoin Sodium 100 mg			
77	Inj. Phenytoin Sodium 50 mg/ml - 2 ml (Diphenyl Hydantoin Sodium)			
78	Tab. Sodium Valporate 200 mg			
79	Tab. Lorazepam 2 mg			
80	Tab Clobazam 10 mg			
81	Tab. Carbamazepine 200 mg			
82	Tab. Diethyl carbamazepine 100 mg Aluminium Blister - Strip of 10			
83	Tab. Flucanazole 150 mg			
84	Tab. Albendazole 400 mg Aluminium Blister - Strip of 10 Tablets			
85	Tab. Telmisartan 80mg Strip of 10 Tablets			
86	Tab. Telmisartan 40mg Strip of 10 Tablets			
87	Tab. Chlorthalidone 6.25mg Strip of 10 Tablets			
88	Tab Losartan potassium 50 mg			
89	Tab. Amlodipin besylate 5 mg Aluminium Blister - Strip of 10 Tb			
90	Cap. Nifedepine 5 mg Aluminium Blister - Strip of 10 Capsule			
91	Tab Metoprolol 50 mg			
92	Tab. Labetlol HCL 100 mg			
93	Inj. Labetalol HCL 20 mg			
94	Tab. Atenolol 50 mg Aluminium Blister - Strip of 14 Tablets			
95	Inj. Frusemide - 2 mg Each 1 mL contains 10 mg furosemide			
96	Tab. Frusemide 40 mg Aluminium Blister - Strip of 10 Tab			
97	Tab. Seratiopeptidase 10mg			
98	Inj. Artesunate 60 mg Vial			
99	Tab Cabergoline 0.5mg			
100	Tab. Benzhexol (Trihexyphenidyl) 2 mg			
101	Sy. Antacid Each 5 ml contains Aluminium Hydroxide 250 mg + Magnesium Hydroxide 250 mg + Dimethicone 50 mg			

102	Cap. Omeprazole 20 mg Aluminium Blister - Strip of 10 Capsule			
103	Inj. Pantaprazole 4 mg/ ml			
104	Tab. Aspirin (acetylsalicylic acid) 75 mg Aluminium Blister of 14 Tablets			
105	Tab. Escitalopram Oxalate 10 mg			
106	Tab. Propranolol HCL 10 mg			
107	Tab. Amitriptyllin hydrochloride 25 mg FC			
108	Cap. Fluoxetine Hydrochloride equivalent to 20 mg (64.7 µmol) of fluoxetine. The Pulvules also contain dimethicone, FD&C Blue No. 1, FD&C Red No. 3, FD&C Yellow No. 6, gelatin, sodium lauryl sulfate, starch, and titanium dioxide			
109	Tab. Sertraline 50mg			
110	Tab. Divalproex sodium 500 mg			
111	Inj. Haloperidol 5 mg/ml - 1 ml			
112	Tab. Haloperidol 5 mg			
113	Tab. Donepezil HCL 5 mg			
114	Tab. Olanzapine 5 mg			
115	Tab. Clozapine 50 mg			
116	Tab. Resperidone 2 mg			
117	Tab. Trifluoperazine HCL 5 mg + Trihexyphenidyl HCL 2 mg			
118	Tab. Quetiapine 50 mg			
119	Inj. Paracetamol IV 1gm, 100ml			
120	Inj. Drotaverine 40mg, 2ml Each 2ml contains Drotaverine HCL IP 40mg, Absolute Alcohol IP 8.0% w/v, Water for Injection q.s.			
121	Tab. Dicyclomine 10 mg			
122	Inj. Dicyclomine 10 mg / ml - 2 ml			
123	Capsule Oseltamivir 30mg Strip of 10 Capsules			
124	Capsule Oseltamivir 45mg Strip of 10 Capsules			
125	PRE AND PROBIOTIC CAPSULES Each Capsule contains Streptococcus Faecalis T-110JPC 60 million Clostridium Butyricum TO-A 4 Million Bacillus Mesentericus TO-A JPC 2 Million Lactic Acid Bacillus 100 Million (Lactobacillus Sporogenes)			
126	Each 1 ml of the reconstituted suspension contain:- Oseltamivir Phosphate equivalent to Oseltamivir 12 mg. (75ml Bottle)			
127	Tab. Acyclovir 400 mg			
128	Inj. Acyclovir 250 mg			
129	Tab Formaldehyde - 91% Paraformaldehyde 96% Paraformaldehyde- paraformaldehyde 96% Tablets. (A single Tablet consists of paraformaldehyde 1.04 gm. Eq. To paraformaldehyde 1 gm.) = available strengths 250 mg/ 500 mg / 1 gm			
130	Formaldehyde 500 ml Solution			
131	Benzalkonium chloride I.P. 20% w/v . - 500 ml			
132	Antiseptic solution containing = Cetrimide 3% w/v Chlorohexidine 1.5% w/v = 5 ltr jar			
133	Dichlorometxynol 1.88% + Terpineol 2% (Soap Solution Base) 5 Ltr Jar			
134	Sodium Hypochlorite Sol. Contains not less than 4% and not more than 6% Sodium Hypochlorite. 5000ml Bottle			
135	Endotracheal tube Cuff - PVC & Rubber 7			
136	Endotracheal tube Cuff - PVC & Rubber 6			
137	Endotracheal tube Cuff - PVC & Rubber 6.5			
138	Endotracheal tube Cuff - PVC & Rubber 7.5			
139	Disposable Sterile Cotton Swab Sachet 3ml Sachet Containing cotton swab of Isopropyl Alcohol 50 % by volume and Rectified Spirit 20% by volume OR 3 ML SACHET CONTAINING COTTON/CELLULOSE SWAB OF Isopropyl Alcohol 70% v/v			
140	HIV kits Disposable (AIDS Kit) sterile with double packing E T O sterilized with ETO sterile indicators - Each kit to contain - Disposable Head cap - one, Disposable face maske - one, Disposable protective PVC inner apron without sleeves - one, Disposable surgical gown with full sleeves and with elastic cuff. Non wovern fabric water repellent - one, Dispposable pvc hand gloves - two, disposable pvc show cover - e, Disposable safety goggles - one			

141	Ryles Tube Polythene(P.V.C) Pre-Sterile (Length 105cm) Sterile Non Toxic Pyrogen Free With Radio opaque line assorted Sizes 7 FG with CE certification			
142	Scalp vein sets no 22 (Superior Quality non toxic PVC sterile pyrogen free, Sharp & rust free needles for easy cannulation properly secured junction of needles & tubing at butterfly level other end of tubing must have proper fitted stopper)Disp. Scalp Vein Set Eto Sterilised Pyrogen Free Short Bevelled Siliconised Needle size22 length 3/4 with CE certification			
143	Scalp vein sets no 23 (Superior Quality non toxic PVC sterile pyrogen free, Sharp & rust free needles for easy cannulation properly secured junction of needles & tubing at butterfly level other end of tubing must have proper fitted stopper)Disp. Scalp Vein Set Eto Sterilised Pyrogen Free Short Bevelled Siliconised Needle size23 length 3/4 with CE certification			
144	Disposable Sterile spinal needle Quincke or pencil point Size: 23 G L50-150mm ISO and CE certificate			
145	Disposable Sterile spinal needle Quincke or pencil point Size: 25 G L50-150mm ISO and CE certificate			
146	Disposable syringes 1ml with needle 26G x 1/2 inch, ribbon pack/blister pack, CE certification.			
147	Disposable syringes 10 ml with needle 21G x 1 1/2 or 22G x 1 1/2 inch, ribbon pack/blister pack, CE certification			
148	Disposable syringes 20 ml with needle 21G x 1 1/2 or 22G x 1 1/2 inch, ribbon pack/blister pack, CE certification			
149	Disposable Insulin Syringe with 30Gx8mm, with integrated needle, Individually packed marked 40 IU/ml 1 ml/Disp Insulin Syringes With Needle, ribbon pack/ blister pack Sterilised Non-Toxic Unit 40 with CE Certification			
150	Disposable Cap is made from spun bond polymer non-woven fabric, Thickness 15-40 Gsm Color: Blue/White/Green Size 21"/free size			
151	Disposable Sterile Needle no. 22 1" to 1.5" Disp.Sterilised Needles In Blister Pack / Ribbon Pack Siliconised Sizes 22 G with CE certification			
152	Disposable Sterile Needle no. 23 1" to 1.5" Disp.Sterilised Needles In Blister Pack / Ribbon Pack Siliconised Sizes 23 G with CE certification			
153	Inj. Tranexemic Acid 500 mg contains Tranexemic Acid 500 mg / 5ml and Water for Injection			
154	Tab Tranexemic Acid 500 mg			
155	Inj. Ethamsylate 125 mg/ml - i.e. 250 mg in 2 ml Ampoule			
156	Phytomenadion Injectable Solution 1mg/1 ml ampoule (Vitamin K)			
157	Paradichlorobenzene 2% + chlorbutanol 5% + benzocaine 2.7%+turpentine oil 15% ear Drops-10 ml			
158	Lignocaine Spray 10% Contains Lignocaine / Xylocaine 10%, Spray 10mg/Puff			
159	Povidone Iodine 2% w/v Gargle Solution IP			
160	Tab. Trypsin + Chemotrypsin E C 1,00,000 I.U Aluminium Blister of 10 Tablets			
161	Tab Thyroxine sodium 50 mcg- 100 Tablets in Amber colour glass bottle			
162	Tab. Atrovastatin 10 mg			
163	Tab. Bisacodyl 5 mg			
164	Lactulose Solution contains lactulose 667 mg/mL (10 g/15 mL).			
165	Liquid paraffin 500 ml			
166	Magnesium Sulphate Powder 500 gm			
167	Povidone Iodine 7.5% w/v topical solution scrub 500 ml			
168	Protease based Enzymatic Cleaner. Required compatibility Report from International Standard Manufacturers of commonly used endoscopes. (i.e. Karl Storz / Pentax / Fujinon / Olympus I.P.)			
169	Ivlg (for MSI-C) 5mg/ 100 ml Bottle			
170	Each 30ml pack contains Sodium Chloride IP 15% w/v, Glycerin IP 15% w/v			
171	Each uncoated Tablet contains: Ursodeoxycholic acid BP 300 mg Excipients Q.S. Blister pack of 10 Tablets			
172	Potassium permagnet Crystals 500 gm			
173	Inj. Suxamethonium Chloride 50 mg/ml - 2 ml Ampoule			
174	Inj Vecuronium Bromide 4mg/2ml, Lyophilised Powder Vial			
175	Sodium Chloride 0.09 % w/v Benzalkonium Chloride Solution (As preservative) 0.02 % w/v Sterile isotonic Aqueous Buffered base q.s.			
176	Inj. Paracetamol 150 mg/ml - 2 ml			
177	Tab Paracetamol 500 mg			

178	Sy. Paracetamol 250 mg/5 ml Bottle of 60 ml			
179	Inj. Diclofenac sodium 25 mg/ml - 3 ml Amp			
180	Tab. Diclofenac Sodium 50 mg Aluminium Blister - Strip of 10 Tablets			
181	Gel Diclofenac Diethylammonium Salt 1.16 %w/w /2.32% w/w (equivalent to Diclofenac Sodium 1% w/w)-30 gm			
182	Diclofenac sodium 100 mg Suppository			
183	Tab. Ibuprofen 400 mg F/c Aluminium Blister - Strip of 10 Tab			
184	Ibuprofen 100mg/5ml, Bottle of 60ml			
185	Tab Calcium Carbonate-1.25 gmi.e.1250 mg Vit D3- 250 iu.			
186	Inj. Calcium Gluconate 100 mg/ml(w/v) 10 ml			
187	Each 5 ml contains: Vitamin D3 (cholecalciferol)I.P. 200 IU,Vitamin B12 (Cynocobalamin)I.P.2.5mcg. Calcium phosphate 82mg			
188	Each 10 ml injection contains; Thiamine HCL IP : 50 mg Pyridoxine HCL IP : 20 mg Roboflavin Sodium Phosphate IP : 20 mg D-Panthenol IP : 30 mg Niacinamide IP : 200 mg Benzyl Alcohol IP : 1.5 % v/v (as preservative) Water for Injection IP q.s			
189	Inj. Iron Sucrose 50 mg in 2.5ml Ampoule Iron Sucrose - Ferric hydroxide Complex with sucrose equivalent to elemental irons Inj. 50mg in 2.5ml			
190	Tab Isoxsuprine Hcl 10 mg			
191	Inj Isoxsuprine Hcl 5 mg/ml			
192	Inj. Magenesium sulphate50 % w/v - 2 ml i.e. Each ml contain 500 mg magnesium sulphate per ml			
193	Dinoprostone 0.5mg gel			
194	Tab Misoprostol 200 mcg			
195	Inj Methylergometrine maleate 0.2mg/ml			
196	Inj. Oxytocin Each ml. to contain: Synthetic Oxytocin 5 IU 1 ml. amp.			
197	Inj Carboprost tromethamine 250mcg/ml			
198	Inj. Tramadol 50 mg / ml - 2 ml Ampoule			
199	Inj. Pentazocin Lactate 30 mg/ml - 1 ml Ampoule			
200	Inj. Midazolam hydrochloride 1 mg / ml			
201	Tab. Diazepam 5 mg			
202	Inj. Diazepam 5 mg/ml - 2 ml			
203	All purpose sonography jelly Contact jelly for ultra sonography - Bottle of 250 gm			
204	ECG Jelly Tube Electrode contact paste suitable for ECG, EEG, ECT Jar of 200 gm			
205	Inj. Etophyllin 169.4 mg + Theophyllin 50.6 mg in 2 ml - 2 ml			
206	Tab. Etophyllin 231 mg + Theophyllin 69 mg S R Aluminium Blister - Strip of 10 Tabs			
207	Tab.Salbutamol Sulphate 4 mg Aluminium Blister - Strip of 10 Tab			
208	Levo salbutamol Respiratory solution 0.63 mg/2.5 ml			
209	Ipratropium bromide 250mcg/ml - 15 ml			
210	Inj. Aminophyllin - 25 mg per ml i.e. 250 mg/10 ml w/v			
211	Xylometazoline nasal Drops 0.05% per ml			
212	Cough Expectorant Diphenhydramine hydrochloride 15 mg (IP) + Ammonium Chloride 150 mg (IP) + Sodium Citrate IP - 60 mg + Menthol -1 mg (IP) Note: It should be only as per HBPC, Mumbai Specification. If any changes in specification by HBPC in future , that will mandatory for the change)			
213	Acetylcysteine tablet 600 MG			
214	Inj. ASVS (Antivenum Lypholysed polyvalent Antisnake venom Serum Inj. (Polyvalent Inj) enzyme refined 10 ml			
215	Soft Plastic Nasal Airways are constructed of a soft, latex free plastic. The interior of the airway has striations for easy suctioning and insertion. Latex free- Small/Medium/Large size			
216	I. V. Sodium Chloride (Normal Saline) 0.9% isotonic (equivalent to Na+ 154 mmol/L,Cl- 154 mmol/L) w/v AFS/BFS/FFS Technology			
217	Inj. Potasium chloride 150 mg/ml 10 ml			
218	I. V. Sodium Chloride (Normal Saline) 0.9% isotonic (equivalent to Na+ 154 mmol/L,Cl- 154 mmol/L) w/v AFS/BFS/FFS Technology			

219	I. V. Dextrose 5% Isotonic w/v AFFS/BFS/FFS Technology			
220	I. V. Dextrose Anhydrous 10%, water for inj. qs. 500 ml - AFFS/BFS/FFS Technology			
221	I.V. 25% Dextrose 100 cc AFFS Technology I. V. Dextrose 25% w/v - 100 ml AFFS/BFS/FFS Technology			
222	I. V. Dextrose 5% in Normal saline 0.9% (I. E. Glucose with sodium chloride 5% glucose, 0.9% sodium chloride (equivalent to 150 mmol/L Na+ and 150 mmol/L Cl-); 5% glucose, 0.45% sodium chloride (equivalent to 75 mmol/L Na+ and 75 mmol/L Cl- w/v)AFFS/BFS/FFS Technology			
223	I. V. Ringer's Lactate (Sodium lactate, compound solution) Each 100ml to contain: Lactic Acid 0.24 ml., Sod Chl. 0.6 gm, Potassium Chloride 0.04 gm, Calcium Chloride 0.027 gm. Water for injection Q.S. Calculated Osmolarity -280 mOs/L(approx) Concentration of Electrolytes (in moles/Lit.) - Sodium 131, Potassium 5, Calcium 2, Bicarbonate (as Lactate) 29, Chloride 111.AFFS/BFS/FFS Technology			
224	Multiple Electrolytes & Dextrose Injection Type III IP for Maintenance: Maintenance replacement solution with 5% dextrose Each 100 ml contains: Dextrose anhydrous I.P. 5 gm ,Potassium chloride I.P. 0.13 gm , Magnesium chloride I.P. 0.031 gm , Dipotassium hydrogen phosphate 0.026 gm , water for injection IP Q.S. AFFS/BFS/FFS Technology			
225	Sterile Water for Injection.5 ml			
226	Inj. Sodabarbonate 7.5 mg/ml (7.5%) - 10 ml Sodium Bicarbonate,nonpyrogenic solution of Sodium Bicarbonate, in Water for Injection, It contains no antimicrobial agent. Composition, osmolarity, pH and ionic (NaHCO3) (g/L) Osmolarity (mOsmol/L) (calc.) *pH Sodium Bicarbonate			
227	Gluteraldehyde solution 2% activation non staining non restoring 5 ltr jar			
228	Hydrogen Peroxide 20 volume 6% w/v 500 ml			
229	Surgical Spirit With methyl salicylate, Diethyl Phthalate and castor oil in denatured alcohol			
230	Tab Prednisolone 5 mg Aluminium Blister - Strip of 10 Tab			
231	Inj Methyl prednisolone acetate 40mg/ml - 1 ml or 2 ml			
232	Inj. Methylprednisolone sodium succinate -125 mg Each 2 mL (when mixed) contains methylprednisolone sodium succinate equivalent to 125 mg methylprednisolone;			
233	Inj. Dexamethasone Sodium Phosphate 4 mg/ml - 2 ml Vial IM/IV -			
234	Spongue gelatin film (sterile hemostatic) absorbable size 70 mm x 50 mm x 10 mm made for surgical use should be packed in double envelop date of sterilization be noted on the pack			
235	Adhesive plaster (Zinc Oxide) 7.5 cm x 5 Mtr - Cotton Based Roll of 7.5 cm x 5 mtr			
236	Adhesive Tape - Paper based Hypoallergenic Microscopically porous 2" x 5 mtr			
237	Label size 6 cm x 2.5 cm Chemical band : 4 cm x 1 cm with green colour & 5 indicator on one strip. 1 box contains 10 x 100 mean 1000 indicator labls with ISO & C E certification			
238	Bandage Cloth as per schedule FII of drug and cosmetic act 1940 Than of 100 cm x 20 mtr			
239	Absorbent Surgical Gauze F II drug and cosmetic act 1940 (50cmx18 M) in Than			
240	Surgical Blade / B.P. Blade Pre sterile wrapped with antirust paper in aluminium foil should be to fitting to handle I S I mark No. 11 Surgical Blades Pre-Sterile With Gamma Radiation For Handle No. 4 Sizes with CE certification will be preferred			
241	Surgical Blade / B.P. Blade Pre sterile wrapped with antirust paper in aluminium foil should be to fitting to handle I S I mark No.12 Surgical Blades Pre-Sterile With Gamma Radiation For Handle No. 4 Sizes Latest ISI certification with CE certification will be preferred			
242	Surgical Blade / B.P. Blade Pre sterile wrapped with antirust paper in aluminium foil should be to fitting to handle I S I mark No 15 Surgical Blades Pre-Sterile With Gamma Radiation For Handle No. 4 Sizes Latest ISI certification with CE certification will be preferred			
243	Surgical Blade / B.P. Blade Pre sterile wrapped with antirust paper in aluminium foil should be to fitting to handle I S I mark No. 22 Surgical Blades Pre-Sterile With Gamma Radiation For Handle No. 4 Sizes Latest ISI Certification with CE certification will be preferred			
244	Crape Bandages 10 cm x 2.5 mtr 100% cotton with (as per ISI specification)The bandage comes with flesh color with a blue line in the middle OR without middle line. stretched length :4m/4. 5m-Clip:with or without clips,elastic band clips or metal band clips			
245	Catheter folleys self retaining no. 10 (2 ways) Baloon 5 ml Foleys Urinary Catheter Silkolatex(Pre- Sterile) 2 Way Sterile Non-Toxic sizes 10 with CE certification			
246	Catheter folleys self retaining no. 12 (2 ways) Baloon 30 ml Foleys Urinary Catheter Silkolatex(Pre- Sterile) 2 Way Sterile Non-Toxic sizes 12with CE certification			
247	Catheter folleys self retaining no. 14 (2 ways) Baloon 30 ml /Foleys Urinary Catheter Silkolatex(Pre- Sterile) 2 Way Sterile Non-Toxic sizes 14 with CE certification			


248	Catheter folleys self retaining no. 16 (2 ways) Baloon 30 ml/ Foleys Urinary Catheter Silkolatex(Pre- Sterile) 2 Way Sterile Non-Toxic sizes 16 with CE certification			
249	I V Cannula sterile Disposable sterile type packing P.T.F.E / FEP / Polyurethane Catheter with Needle with wings 20 G 25-32 mm length (E T O sterile)			
250	I V Cannula sterile Disposable sterile type packing P.T.F.E / FEP / Polyurethane Catheter with Needle with wings 22 G 25-32 mm length (E T O sterile)			
251	I V Cannula sterile Disposable sterile type packing P.T.F.E / FEP / Polyurethane Catheter with Needle with wings 24 G 19 mm length (E T O sterile)			
252	Infusion Set – Sterile, non-toxic PVC with soft transparent, kink resistant tube, latex tube for convenient extra medication, plastic soft transparent murphy chamber, smooth plastic spike, sharp enough for easy piercing. Easily controllable roller clamp needle - 20/21 G. Leak proof double polyethylene packing. Or Blister pack Batch number, Mfg. & Expiry Date, Sterility Date & method must be mentioned. (E T O sterile)			
253	Intercostal draining system with trocar and bag 22G Each			
254	Intercostal draining system with trocar and bag 28G Each			
255	Intercostal draining system with trocar and bag 32G Each			
256	Infant Feeding Tube 4G Each [485.1]			
257	Infant Feeding Tube 5G Each [486.1]			
258	Infant Feeding Tube 6G Each [487.1]			
259	Infant Feeding Tube 7G Each [488.1]			
260	Infant Feeding Tube 8G Each [489.1]			
261	Infant Feeding Tube 9G Each [490.1]			
262	Micro I.V. Infusion set for pediatric use for Infusion Fluid administration with volumetric chamber 60 drops per 1 ml. Non Toxic, Sterilized, Pyrogen Free, ISI Mark, Non vented needle Size 23 G x 1.5 inch, Self sealing latex tube for medication & easy flushing. Special beveled extra strong spike. Disc filter in drip chamber fasciitate rapid adjustment fluid need of 23 G for smooth slow. Highly kink resistant tubing roller clamp for flow meter. Packed in one plastic bag with Label containing product name, Mfg. date, Exp. date mfg. by.			
263	Plaster of Paris Bandages specially woven cloth uniformly impregnated with the finest quality, fast setting Plaster of Paris with minimum setting time. Features: •Light weight, durable, higher cast strength. made from light weight fine POP powder & Leno / gauze, fabric light weight, easy to use with high compression & tensile strength. •Quick saturation, Rapid setting time, Minimum loss of free powder. High water absorbency capacity, shorter immersion, rapid setting time, minimal wet & dry powder loss. reduces repeat use of bandages - 10 cm x 2.7 m (Ready made)			
264	Rolled Cotton Bandages as per schedule F II Drug & Cosmetic Act 1940 10 cm x 4 Mtr			
265	Rubber Makintosh double colour Rubber sheeting, High Polymer 55% & above, Colour (Green, Blue, Red), Thickness-0.4mm, Width-110cm Roll of 30 mtr I.S. certified, Double colour, water proof			
266	Rubber gloves 6.5 Operation Gloves (non-sterilised) 6" pre-powdered, BIS 4148 Specifications gloves, surgical rubber made from Natural Latex. 100% electronically tested, IS certification with CE certification (Notified Body), Bio Absorbable Corn Starch Powder, ASTM - D Standard with NABL Test Report			
267	Rubber gloves 7, Operation Gloves (non-sterilised) 6" pre-powdered, BIS 4148 Specifications gloves, surgical rubber made from Natural Latex. 100% electronically tested, IS certification with CE certification (Notified Body), Bio Absorbable Corn Starch Powder, ASTM - D Standard with NABL Test Report			
268	Rubber gloves 7.5, Operation Gloves (non-sterilised) 6" pre-powdered, BIS 4148 Specifications gloves, surgical rubber made from Natural Latex. 100% electronically tested, IS certification with CE certification (Notified Body), Bio Absorbable Corn Starch Powder, ASTM - D Standard with NABL Test Report			
269	Sterile Disposable Surgical Gloves No 6.5 Powder free gloves, polymer coated inside with powder content <2mg as per USFDA. 100% electronically tested. CE 2460 certification (Notified body European Standard), EN 455-2 OR ISI Mark			
270	Sterile Disposable Surgical Gloves No 7 Powder free gloves, polymer coated inside with powder content <2mg as per USFDA. 100% electronically tested. CE 2460 certification (Notified body European Standard), EN 455-2 OR ISI Mark			
271	Sterile Disposable Surgical Gloves No 7.5, Powder free gloves, polymer coated inside with powder content <2mg as per USFDA. 100% electronically tested. CE 2460 certification (Notified body European Standard), EN 455-2 OR ISI Mark			

272	Urine Collection Bag - Disposable sterile with accurate calibration Non Toxic, Tube length 42"Manufactured from clinical grade PVC sheet. Super Smooth kink resistant tube, made from medical grade PVC. with connector. Non return valve and drainage outlet. Provided with hanging & carrying system. Capacity : 2000 ml. Approx. Sterile / Disposable / Individual packed.			
273	Disposable Umbilical Cord Clamp are made from Non toxic Medical grade polymer. 1. Material: PVC, PE, PP, ABS etc. 2. Sterilize by ethylene oxide gas 3. Supplied sterile in individual peel-able polybag.			
274	Barbour Linen Thread no. 40			
275	Barbour Linen Thread no. 80			
276	Disposable examination gloves made of soft latex, powder-free; highly elastic and tear-resistant; texturing of the finger area ensures optimum grip; excellent fit and high tactile sensitivity; With ASTM, ISO & C E approved Medium			
277	Polypropelene Synthetic Monofilament nonabsorbable mesh 3" X 6" (8 cm X 15 cm)			
278	Triple layer face mask nose clip -Tie on Mask of Non-woven, Hypoallergenic 3 ply construction with Elastic and filter in between offering >99 percent standard with 4 tie strings			
279	Colostomy bag pouches are shaped in such a way that they guarantee a perfect fit at all times. These closed pouches contain protected filter and hydrocolloid skin-protection. Pouch size: 5 1/8"x 7 1/2" (130mm x 190mm) Cut to fit range: 3/4" - 2" (20 - 50 mm) Adhesive surface: ca. 4 3/8" - 4 3/8" (110mm x110mm) Color: skin-colored			
280	Disposable Non Traumatic Razors Material:carbon/stainless/import stainless steel 3.5 cms, twin sharp blade for shaving pupose. Pre operative, Dressing Shaving.Blade frame in one plastic case with handle for easy use Non irritant to skin.			
281	Hydrogen Peroxide 11% with Silver Nitrate 0.01 %			
282	Piperacillin + Tazobactam for Injection USP 4gm+500mg			
283	Synthetic Polyglycolic Acid with Needle 1/2 circle Round Body 40mm. Size 1 , Length 90 cm			
284	Chromic Catgut with needle 3/8circle Round Body Heavy needle 40mm. Size 1/0 Length 100 cm			
285	Chromic Catgut with needle 3/8 Circle Round body 30mm. Size 2-0, 76cm			
286	Chromic Catgut with needle 1/2 Circle Round body 20mm. Size 3-0, 76cm			
287	Chromic Catgut with needle 1/2 circle Round Body 45 mm. Size 2 Length 76 cm Heavy			
288	Synthetic Polyglycolic Acid with Needle 1/2 circle Round Body 30mm. Size 2/0 , Length 90 cm			
289	Synthetic Polyglycolic Acid with Needle 1/2 circle Round Body 30mm. Size 2, Length 90 cm			
290	Synthetic Polyglycolic Acid with Needle 1/2 Circle Round Body 20 mm Size 3-0 Length 76 cm.			
291	black braided silk 2-0 with Needle (B.B. Silk with Needle 1/2 Circle Round Body 26 mm Size 2-0, Length 76cm.			
292	black braided silk 3-0 with Needle (Black Braided Silk with Needle 1/2 circle Round Body 20 mm size 3-0, Length 76 cm			
293	Nylon Monofilament nonabsorbable polymers with Needle 1/2 circle Round body Heavy Needle (Loop Suture) 50 mm Size 1 Length 150 cm			
294	Nylon Monofilament nonabsorbable polymers with Needle 1/2 circle Round body Heavy Needle (Loop Suture) 40 mm Size 1/0 Length 150 cm			
295	Nylon Monofilament nonabsorbable Polymers with Needle 1/2 circle Needle reverse cutting 50mm Size 2-0 lenth 76 cm			
296	Polypropylene Suture 1/2 circle Round Body. Heavy (Loop Suture) 40mm. Size 1 Length 150 cm			
297	Polypropylene Suture 1/2 circle Round Body 30mm. Size 1/0 , Length 90 cm			
298	Polypropylene suture 3/8 Circle cutting needle 30 mm 70cm. Size 2-0			
299	Polypropylene Suture 1/2 Circle Round Body 16mm Size 4-0, Length 70cm.			
300	Inj. Retiplase 18mg Contains Retiplase Recombinant Tissue Plasminogen Activator 18mg			
301	Inj Streptokinase 15 lacs/Vial			
302	Oint. Povidone Iodine 5% w/w 15 gm			
303	Povidone-iodine 5% w/v solution			
304	Clotrimazole Cream : Cream Clotrimazole 1% w/w- 15 gm			
305	Clotrimazole Lotion 1% v/v - 15 ml			
306	Clotrimazole Dusting Powder 1% w/w - 30 gm			
307	Miconazole cream. Miconazole Nitrate 2% w/w 15 gm			

308	White Petroleum Jelly 1 kg			
309	Fradiomycin Skin Cream 0.5 % w/w, 30gm			
310	Silversulphadiazine cream : Cream Sivlersulphadiazine 1% w/w 250 gm			
311	Benzyl Benzoate Application 25 % w/w 100 ml			
312	Benzoic Acid 6% w/w + Salicylic Acid 3 % w/w Ointment - Tube of 50 gm			
313	Fluocinolone Acetonide Topical ointment 0.025% ointment - 15 gm			
314	Oint / Cream Clobetasol Propionate 0.05% w/w, 30gm			
315	Glycerin 500 ml Glass Bottle			
316	Inj. Noradrenaline 4 mg in 2 ml ie. 2 mg per ml			
317	Tab. Vitamin B complex (Therupetic) N F I			
318	Tab. Ascorbic acid 500 mg			
319	Intravenous 10% Amino Acids Solution -Paediatric specific Intravenous 10% Amino Acids Solution with taurine, special conditionally essential amino acid. - 100 ml			

Enclosed herewith required documents self-attested with sign and stamp.

Yours Faithfully,


 Authorized Sign & Rubber Round Seal
 & Lab. Stamp

ANNEX- 4

on NABL Approved Lab Letter head

DECLARATION BY NABL Approved Lab.

I/We herewith declared that, I/We have not quoted rate in this Quotation greater than our drugs testing current rate or accepted rate by other Govt & semi govt Institution. Our laboratory is NABL Approved Laboratory & we are testing drugs/consumables samples in our in house laboratory premises. I/We or our firm employees are not related with Civil Surgeon, Satara or their organizational any person.

Place-

Date-

Prop. Name, Signature of NABL approved Lab.

Seal & Rubber Stamp